




GENERAL PURPOSE TRANSFORMER 252L E50394

GUELPH, ONT. BARABOO, WI COMPTON, CA MONTERREY, MX

HPS FORTRESS™
COMMERCIAL POTTED DISTRIBUTION TRANSFORMER

| | | | | | |
|--------------|----------------------|--|--|------------------------------|----------|
| HV/HT | 120/208/240/277V | | | Cust. Ref. | |
| BIL | - | | | Réf. du client | |
| TERM. BORNES | H1 H2 H3 H4 H5 | | | Serial No. No. de série | |
| | | | | Part No. No. de pièce | C1FC15WE |
| | | | | Phase | 1 |
| | | | | kVA | 0.15 |
| | | | | TYPE | Q |
| | | | | Cooling Refroidissement | ANC |
| | | | | Temp. Class. Classe de Temp. | 130 °C |
| | | | | Frequency Fréquence | 60 Hz |
| | | | | Impédance % @ °C | |
| LV/BT | 120/240V 1.2/0.6A | | | Encl. Type Type de boîtier | 3R |
| BIL | - | | | Wt Poids lbs | 13.1/5.9 |
| TERM. BORNES | X4 X2 X3 X1 | | | | |

| VOLTS | CURRENT COURANT | % RATED VOLTAGE % TENSION NOMINALE | CONNECTION EACH PHASE CONNECTION PAR PHASE |
|-------|-----------------|------------------------------------|--|
| 120 | 1.3 | | H1-H2 |
| 208 | 0.8 | | H1-H3 |
| 240 | 0.7 | | H1-H4 |
| 277 | 0.6 | | H1-H5 |



1-UL-4151-0000P



TITLE: 1 PHASE ENCAPSULATED TRANSFORMER
NAMEPLATE INFORMATION

| | | | | |
|-----|----------|----|------------|------------|
| 1 | 21/07/13 | PP | EDB UPDATE | DES: LCEN |
| NO. | DATE | BY | REVISION | SCALE: NTS |

SHEET 1 OF 2

EDB C1FC15WE

FRONT VIEW



SIDE VIEW



FRONT & BOTTOM PANEL IS HINGED FOR ACCESS TO TERMINALS, BOTTOM MOUNTING HOLES AND REAR KNOCKOUT.

All Dimensions in inches

ENCLOSURE COLOR : ANSI 61 GREY – OUTDOOR

CUSTOMER NOTES:

- HV TERMINATED AT #18 AWG LEAD WIRE
- LV TERMINATED AT #18 AWG LEAD WIRE



TITLE: 1 PHASE ENCAPSULATED TRANSFORMER

| | | | | |
|-----|----------|----|------------|------------|
| 1 | 21/07/13 | PP | EDB UPDATE | DES: LCEN |
| NO. | DATE | BY | REVISION | SCALE: NTS |

SHEET 2 OF 2

EDB01FC15WE