




TOP VIEW



FRONT VIEW




SIDE VIEW



BOTTOM VIEW

TERMINAL BLOCK SUITABLE FOR #14 TO #4 AWG CONDUCTORS QTY. 1 PER PHASE



MTG SLOT DETAIL

hammond POWER SOLUTIONS	TOLERANCES MOUNTING CENTERS = +/- .06" MOUNTING HOLE SIZE = +/- .005"	THIS DRAWING CONTAINS PROPRIETARY INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS INC., AND IS NOT FOR GENERAL DISTRIBUTION	All Dimensions in Inches mm in Parenthesis	REACTOR

hammond POWER SOLUTIONS

HPS CENTURION R
3PH DRY TYPE
REACTOR

MADE IN CANADA P/N CRX0062BC

f003776aeur

INDUCT.0.742 mH Hz 50/60 AMPS 62 IP00

0.6 kV CLASS TEMP CLASS 180°C TYPE JR

WEIGHT 25/12 (LBS/KG) AMBIENT: 50°C E61431 LR3902

NOTES:

A1 A2 B1 B2 C1 C2

THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.

1.0 httpd 2026/11/04 08:03

hammond POWER SOLUTIONS

TITLE: 3 PHASE LINE REACTOR

NO.	DATE	BY	REVISION
1	24/05/21	PB	HCN: 80927

DES: PBAKER
DATE: 14/06/25
SCALE: NTS

SHEET 1 OF 1

EDBCRX0062BC