

hammond
POWER SOLUTIONS



US LISTED

E61431

GUELPH,ONT BARABOO,WI COMPTON,CA MONTERREY,MX

MADE IN CANADA

HPS Centurion S – 3 Phase SineWave Filter

RATING (HP)

5

CUST. REF.

SYS. VOLTAGE

480

SERIAL NO.

FREQ. (Hz)

90

PART NO.

CS1K0009F

CURRENT(AMP)

9

TYPE SJR-2

AN

WDG MATERIAL

CU

TEMP. RISE °C

115

ENCL. TYPE

TEMP. CLASS °C

220

WEIGHT lbs/kg

16/8

USE WITH SUITABLY RATED LISTED (ZMVV) LUGS
WINDING TERMINAL TEMPERATURE: 75° C

F0677EF

INPUT

A1

A2

B1

B2

C1

C2

OUTPUT

hammond
POWER SOLUTIONS

TITLE:

SINEWAVE FILTER

NAMEPLATE INFORMATION

NO.

DATE

BY

REVISION

DES: PBAKER


DATE: 24/05/30

SCALE: NTS


SHEET 1 OF 3

EDBCS1K0009F


0.0 pbaker 2024/06/14 11: 35




FRONT VIEW



SIDE VIEW



BOTTOM VIEW



TOLERANCES
MOUNTING CENTERS = $\pm .06"$
MOUNTING HOLE SIZE = $\pm .005"$

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER




TITLE: SINEWAVE FILTER
FLOOR MOUNT DIMENSIONS

DES: PBAKER
DATE: 24/05/30
SCALE: NTS
NO. DATE BY REVISION


SHEET 2 OF 3

EDBCS1K0009F


0.0 pbaker 2024/06/14 11: 35



FRONT VIEW



SIDE VIEW



TOLERANCES
MOUNTING CENTERS = +/- .06"
MOUNTING HOLE SIZE = +/- .005"

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER



TITLE: SINEWAVE FILTER
WALL MOUNT DIMENSIONS

DES:	PBAKER
DATE:	24/05/30
SCALE:	NTS

NO.	DATE	BY	REVISION
-----	------	----	----------

SHEET 3 OF 3

EDBCS1K0009F