

hammond
POWER SOLUTIONS



US LISTED

E61431

GUELPH,ONT BARABOO,WI COMPTON,CA MONTERREY,MX

MADE IN CANADA

HPS Centurion S – 3 Phase SineWave Filter

RATING (HP)

CUST. REF.

SYS. VOLTAGE

SERIAL NO.

FREQ. (Hz)

PART NO.

CURRENT(AMP)

TYPE SR-2

WDG MATERIAL

TEMP. RISE °C

ENCL. TYPE


TEMP. CLASS °C

WEIGHT lbs/kg

USE WITH SUITABLY RATED LISTED (ZMVV) LUGS
WINDING TERMINAL TEMPERATURE: 75° C

F0677EF

INPUT



OUTPUT

hammond
POWER SOLUTIONS


TITLE: SINEWAVE FILTER
NAMEPLATE INFORMATION

| | | | | |
|-----|------|----|----------|----------------|
| | | | | DES: MVAGHANI |
| | | | | DATE: 26/02/19 |
| NO. | DATE | BY | REVISION | SCALE: NTS |


SHEET 1 OF 3

EDBCS1K0022C

FRONT VIEW



SIDE VIEW



All Dimensions in inches

ENCLOSURE COLOR : ANSI-61 GREY PAINT OUTDOOR

INPUT TERMINAL DETAIL

OUTPUT TERMINAL DETAIL

SUITABLE FOR #14-4 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

SUITABLE FOR #14-4 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

CUSTOMER NOTES:




TITLE: SINEWAVE FILTER

| | |
|--------|----------|
| DES: | MVAGHANI |
| DATE: | 26/02/19 |
| SCALE: | NTS |


| NO. | DATE | BY | REVISION |
|-----|------|----|----------|
| | | | |

SHEET 2 OF 3


EDBCS1K0022C




FRONT VIEW



SIDE VIEW



BOTTOM VIEW



TOLERANCES
MOUNTING CENTERS = +/- .06"
MOUNTING HOLE SIZE = +/- .005"

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER



TITLE: SINEWAVE FILTER
FLOOR MOUNT DIMENSIONS

| | |
|--------|----------|
| DES: | MVAGHANI |
| DATE: | 26/02/19 |
| SCALE: | NTS |

| NO. | DATE | BY | REVISION |
|-----|------|----|----------|
| | | | |

SHEET 3 OF 3

EDBCS1K0022C

0.2 httpd 2026/04/01 09:26

THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.