

hammond
POWER SOLUTIONS



US LISTED

E61431

GUELPH,ONT BARABOO,WI COMPTON,CA MONTERREY,MX

MADE IN CANADA

HPS Centurion S – 3 Phase SineWave Filter

RATING (HP)

50

CUST. REF.

SYS. VOLTAGE

480

SERIAL NO.

FREQ. (Hz)

90

PART NO.

CS1K0065F

CURRENT(AMP)

65

TYPE SJR-3

AN

WDG MATERIAL

CU

TEMP. RISE °C

130

ENCL. TYPE

TEMP. CLASS °C

220

WEIGHT lbs/kg

75/35

F0677EF

INPUT

A1

A2

B1

B2

C1

C2

OUTPUT

hammond
POWER SOLUTIONS

TITLE:

LINE REACTOR
NAMEPLATE INFORMATION

NO.

DATE

BY

REVISION

DES: PBAKER

DATE: 24/05/07


SCALE: NTS

SHEET 1 OF 3


EDBCS1K0065F

0.0 pbaker 2024/05/07 14:59


ø .8 LIFTING
PROVISION




FRONT VIEW



SIDE VIEW



BOTTOM VIEW



TERMINAL DETAIL



TOLERANCES
MOUNTING CENTERS = +/- .06"
MOUNTING HOLE SIZE = +/- .005"

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER



TITLE:


LINE REACTOR
FLOOR MOUNT DIMENSIONS

				DES: PBAKER
				DATE: 24/05/07
NO.	DATE	BY	REVISION	SCALE: NTS


SHEET 2 OF 3

EDBCS1K0065F


0.0 pbaker 2024/05/07 14: 59



FRONT VIEW



SIDE VIEW



TERMINAL DETAIL



TOLERANCES
MOUNTING CENTERS = +/- .06"
MOUNTING HOLE SIZE = +/- .005"

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER

hammond
POWER SOLUTIONS

TITLE: LINE REACTOR
WALL MOUNT DIMENSIONS

				DES: PBAKER
				DATE: 24/05/07
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 3 OF 3

EDBCS1K0065F

0.0 pbaker 2024/05/07 14: 59