

hammond
POWER SOLUTIONS



US LISTED

E61431

GUELPH,ONT BARABOO,WI COMPTON,CA MONTERREY,MX


MADE IN CANADA

HPS Centurion S – 3 Phase SineWave Filter

RATING (HP)	75	CUST. REF.	
SYS. VOLTAGE	480	SERIAL NO.	
FREQ. (Hz)	90	PART NO.	CS1K0110F
CURRENT(AMP)	110	TYPE	SJR-3
			AN
		WDG MATERIAL	CU
TEMP. RISE °C	130	ENCL. TYPE	
TEMP. CLASS °C	220	WEIGHT lbs/kg	95/44

WARNING: CAPACITOR VOLTAGE ABOVE 50V MAY REMAIN
FOR 180 SECONDS AFTER POWER IS DISCONNECTED.

F0677EF



hammond
POWER SOLUTIONS

TITLE: SINEWAVE FILTER
NAMEPLATE INFORMATION


				DES: PBAKER
				DATE: 24/01/15
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 3


EDBCS1K0110F

0.3 pbaaker 2024/02/08 10:22


ø .8 LIFTING
PROVISION




FRONT VIEW



SIDE VIEW



BOTTOM VIEW



TERMINAL DETAIL



TOLERANCES
MOUNTING CENTERS = +/- .06"
MOUNTING HOLE SIZE = +/- .005"

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER

hammond
POWER SOLUTIONS


TITLE: SINEWAVE FILTER
FLOOR MOUNT DIMENSIONS

DES: PBAKER
DATE: 24/01/15
SCALE: NTS
NO. DATE BY REVISION


SHEET 2 OF 3

EDBCS1K0110F


0.3 pbaker 2024/02/08 10:22



FRONT VIEW



SIDE VIEW



TERMINAL DETAIL



TOLERANCES
MOUNTING CENTERS = +/- .06"
MOUNTING HOLE SIZE = +/- .005"

THIS DRAWING CONTAINS PROPRIETARY INFORMATION
BELONGING TO HAMMOND POWER SOLUTIONS INC.,
AND IS NOT FOR GENERAL DISTRIBUTION

All Dimensions in Inches
mm in Parenthesis

FILTER



TITLE: SINEWAVE FILTER
WALL MOUNT DIMENSIONS

				DES: PBAKER
				DATE: 24/01/15
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 3 OF 3

EDBCS1K0110F

0.3 pbaker 2024/02/08 10:22