


\* TOLERANCES STD. +/- 0.1 INCHES [ +/- 3 MM ]  
 \* ALL DIMENSIONS IN INCHES [ MM ]



\* SECONDARY FUSE CLIPS ARE SUPPLIED LOOSE WITH TRANSFORMER  
 \* PRIMARY FUSE CLIPS ARE OPTIONAL  
 \* PRIMARY AND SECONDARY FINGER GUARD ARE OPTIONAL

**hammond**  
POWER SOLUTIONS

750 VA  
50/60 Hz  
80 °C RISE

np1390-1c  
CE  
MADE IN CHINA

CUST. REF. PATENT PENDING

HV  
208V  
416V  
LV  
120V  
240V

CAT.NO. PH750SP  
LISTED 252L  
E50394  
130-6  
INDUSTRIAL CONTROL TRANSFORMER

H1 H3 H2 H4  
X4 X2 X3 X1

NOTES:



TITLE: IMPERATOR CONTROL TRANSFORMER

|        |          |
|--------|----------|
| DES:   | WWONG    |
| DATE:  | 07/05/29 |
| SCALE: | NTS      |

| NO. | DATE | BY | REVISION |
|-----|------|----|----------|
|     |      |    |          |

SHEET 1 OF 1

EDBPH750SP

0.2 httpd 2026/05/21 12:46

THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.