



* TOLERANCES STD. + /- 0.1 INCHES[+/- 3 MM]
 * ALL DIMENSIONS IN INCHES[MM]

* SECONDARY FUSE CLIPS ARE SUPPLIED LOOSE WITH TRANSFORMER
 * PRIMARY FUSE CLIPS ARE OPTIONAL
 * PRIMARY AND SECONDARY FINGER GUARD ARE OPTIONAL

 INDUSTRIAL CONTROL TRANSFORMER	 75 VA 50/60 Hz 55 °C RISE np1391-1c MADE IN CHINA	HV <table style="margin: auto;"> <tr> <td>120V</td> <td>240V</td> </tr> <tr> <td> <table style="font-size: small;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>4</td><td>3</td><td>2</td><td>1</td></tr> </table> </td> <td> <table style="font-size: small;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>4</td><td>3</td><td>2</td><td>1</td></tr> </table> </td> </tr> <tr> <td>120V</td> <td>240V</td> </tr> </table> LV CUST. REF.	120V	240V	<table style="font-size: small;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>4</td><td>3</td><td>2</td><td>1</td></tr> </table>	1	2	3	4	4	3	2	1	<table style="font-size: small;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>4</td><td>3</td><td>2</td><td>1</td></tr> </table>	1	2	3	4	4	3	2	1	120V	240V	CAT.NO. PH75PP 	 LISTED 252L E50394 130-6 PATENT PENDING
120V	240V																									
<table style="font-size: small;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>4</td><td>3</td><td>2</td><td>1</td></tr> </table>	1	2	3	4	4	3	2	1	<table style="font-size: small;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>4</td><td>3</td><td>2</td><td>1</td></tr> </table>	1	2	3	4	4	3	2	1									
1	2	3	4																							
4	3	2	1																							
1	2	3	4																							
4	3	2	1																							
120V	240V																									

NOTES:



TITLE: IMPERATOR CONTROL TRANSFORMER

					DES: WWONG
					DATE: 07/05/29
NO.	DATE	BY	REVISION		SCALE: NTS

SHEET 1 OF 1

PH75PP

0.3 httpd 2026/04/02 21:16 THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.