




GUELPH, ONT. BARABOO, WI COMPTON, CA MONTERREY, MX

THREE PHASE DRY TYPE AUTOTRANSFORMER  
AUTOTRANSFORMATEUR SEC TRIPHASE

HV/HT	600Y/346V 480Y/277V			Cust. Ref. Réf. du client						
BIL	-			Serial No. No. de série						
TERM. BORNES	H0	H1	H2	H3	H4	H5	H6	Part No. No. de pièce	Y003QTCB3L0U	
	VOLTS	CURRENT COURANT	% RATED VOLTAGE % TENSION NOMINALE	CONNECTION EACH PHASE CONNEXION PAR PHASE		kVA	3.0	TYPE	QT	
	600Y/346V 480Y/277V	2.9 3.6		H0 H1-H2-H3 H0 H4-H5-H6		Cooling Refroidissement	ANC	Temp. Rise Echauffement	80 °C	
	400Y/231V 240Y/139V 208Y/120V	4.3 7.2 8.3		X0 X7-X8-X9 X0 X4-X5-X6 X0 X1-X2-X3		Temp. Class Classe de Temp.	130 °C	Frequency Fréquence	60 Hz	
LV/BT	208Y/120V 240Y/139V 400Y/231V					Impédance % @ 100 °C	2.3	Encl. Type Type de boîtier	3R	
BIL	-			Wt lbs/kg	49/23		Winding Enroulement	COPPER		
TERM. BORNES	X0	X1	X2	X3	X4	X5	X6	X7	X8	X9



VOLTAGES SHOWN ARE FOR 3 PHASE, 4 WIRE SYSTEMS. NEUTRAL AND GROUND CONNECTIONS SHOULD BE MADE IN ACCORDANCE WITH LOCAL ELECTRICAL CODE AND STANDARDS REQUIREMENTS

D003303b1

HAM3656



THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.



TITLE: 3 PH ENCAPSULATED AUTO TRANSFORMER  
NAMEPLATE INFORMATION


DES:	WWONG		
DATE:	16/07/25		
SCALE:	NTS		
NO.	DATE	BY	REVISION

SHEET 1 OF 2


EDB Y003QTCB3L0U

0.2 httpd 2026/06/03 10:50

FRONT VIEW



SIDE VIEW



All Dimensions in inches

ENCLOSURE COLOR : ANSI 61 GREY – OUTDOOR

H.V.1. TERMINAL DETAIL

L.V.1. TERMINAL DETAIL

#14 AWG STRANDED COPPER  
WIRE LEADS

#14 AWG STRANDED COPPER  
WIRE LEADS

CUSTOMER NOTES:

- HV1 TERMINATED AT TOP FRONT
- LV1 TERMINATED AT TOP FRONT



TITLE: 3 PH ENCAPSULATED AUTO TRANSFORMER

DES:	WWONG
DATE:	16/07/25
SCALE:	NTS

NO.	DATE	BY	REVISION

SHEET 2 OF 2

EDB Y0030TCB310U