



® LR 3902


UL DRY TYPE TRANSFORMER 77US E112313

LISTED

GUELPH, ONT. BARABOO, WI COMPTON, CA MONTERREY, MX

THREE PHASE DRY TYPE AUTOTRANSFORMER
AUTOTRANSFORMATEUR SEC TRIPHASE

HV/HT	600Y/346V (60HZ) 72.2A 480Y/277V (50/60HZ) 72.2A			Cust. Ref. Réf. du client		
BIL	-			Serial No. No. de série		
TERM. BORNES	H0 H1 H2 H3			Part No. No. de pièce	Y075PKCN3LOU	
	VOLTS	CURRENT COURANT	% RATED VOLTAGE % TENSION NOMINALE	CONNECTION EACH PHASE CONNEXION PAR PHASE	kVA	75
					TYPE	K
					Cooling Refroidissement	ANN
					Temp. Rise Echauffement	130 °C
					Temp. Class Classe de Temp.	200 °C
					Frequency Fréquence	60 Hz
					Impédance % @ 150 °C	1.1
LV/BT	480Y/277V (60HZ) 90.2A 380Y/219V (50/60HZ) 90.2A			Encl. Type Type de boîtier	3R	
BIL	-			Wt Poids	lbs 170	
TERM. BORNES	X0 X1 X2 X3			Winding Enroulement	CU	



D003302b1

SPACINGS BETWEEN ANY VENTILATED ENCLOSURE PANEL AND ANY ADJACENT WALL SHALL BE A MINIMUM OF 5 INCHES EXCEPT WHEN WALL MOUNTED USING HPS WALL MOUNTING KIT

RATED KVA AT 50/60HZ:60KVA

VOLTAGES SHOWN ARE FOR 3 PHASE, 4 WIRE SYSTEMS. NEUTRAL AND GROUND CONNECTIONS SHOULD BE MADE IN ACCORDANCE WITH LOCAL ELECTRICAL CODE AND STANDARDS REQUIREMENTS



THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.




TITLE: 3PH AUTO TRANSFORMER
NAMEPLATE INFORMATION

				DES: MCHRISM
				DATE: 10/10/25
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 2

EDB Y075PKCN3LOU

0.1 httpd 2026/04/03 04:00



All Dimensions in inches

ENCLOSURE COLOR : ANSI-61 GREY PAINT OUTDOOR.

H.V.1. TERMINAL DETAIL

L.V.1. TERMINAL DETAIL

MECHANICAL TYPE LUGS INCLUDED
SUITABLE FOR #2/0-14 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

MECHANICAL TYPE LUGS INCLUDED
SUITABLE FOR #2/0-14 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

CUSTOMER NOTES:

- HV1 TERMINATED AT TOP FRONT
- LV1 TERMINATED AT BOTTOM FRONT



TITLE: 3PH AUTO TRANSFORMER

DES:	MCHRISTM
DATE:	10/10/25
SCALE:	NTS

NO.	DATE	BY	REVISION

SHEET 2 OF 2

EDB Y075PKCN310U

0.1 httpd 2026/04/03 04:00

THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.