



® LR 3902


UL DRY TYPE TRANSFORMER 77US E112313

LISTED

GUELPH, ONT. BARABOO, WI COMPTON, CA MONTERREY, MX

THREE PHASE DRY TYPE AUTOTRANSFORMER
AUTOTRANSFORMATEUR SEC TRIPHASE

HV/HT	600Y/346V (60HZ) 216A		Cust. Ref.	
	480Y/277V (50/60HZ) 216A		Réf. du client	
BIL	-		Serial No.	
			No. de série	
TERM. BORNES	H0 H1 H2 H3		Part No.	Y225PKCH3LOU
			No. de pièce	
	VOLTS	CURRENT COURANT	% RATED VOLTAGE % TENSION NOMINALE	CONNECTION EACH PHASE CONNEXION PAR PHASE
LV/BT	480Y/277V (60HZ) 271A		kVA	225
	380Y/219V (50/60HZ) 271A		TYPE	K
BIL	-		Cooling Refroidissement	ANN
TERM. BORNES	X0 X1 X2 X3		Temp. Rise Echauffement	150 °C
			Temp. Class Classe de Temp.	220 °C
			Frequency Fréquence	60 Hz
			Impédance % @ 170 °C	1.1
			Encl. Type Type de boîtier	NEMA-3R
			Wt Poids	355 lbs
			Winding Enroulement	CU



D003302b1

SPACINGS BETWEEN ANY VENTILATED ENCLOSURE PANEL AND ANY ADJACENT WALL SHALL BE A MINIMUM OF 5 INCHES

RATED KVA AT 50/60HZ:180KVA

VOLTAGES SHOWN ARE FOR 3 PHASE, 4 WIRE SYSTEMS. NEUTRAL AND GROUND CONNECTIONS SHOULD BE MADE IN ACCORDANCE WITH LOCAL ELECTRICAL CODE AND STANDARDS REQUIREMENTS




THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.



TITLE: 3PH AUTO TRANSFORMER NAMEPLATE INFORMATION			
			DES: RMOVVA
			DATE: 12/02/14
NO.	DATE	BY	REVISION
			SCALE: NTS

SHEET 1 OF 2
EDB Y225PKCH3LOU

0.1 httpd 2026/04/01 01:26



All Dimensions in inches

ENCLOSURE COLOR : ANSI 61 GREY – OUTDOOR

H.V.1. TERMINAL DETAIL

L.V.1. TERMINAL DETAIL

MECHANICAL TYPE LUGS INCLUDED
SUITABLE FOR 600MCM-2 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

MECHANICAL TYPE LUGS INCLUDED
SUITABLE FOR 600MCM-2 CU/AL
CONDUCTORS
1 CONDUCTOR PER PHASE

CUSTOMER NOTES:

- HV1 TERMINATED AT TOP FRONT
- LV1 TERMINATED AT BOTTOM FRONT



TITLE: 3PH AUTO TRANSFORMER				DES: RMOVVA
				DATE: 12/02/14
				SCALE: NTS
NO.	DATE	BY	REVISION	

SHEET 2 OF 2
EDBY225PKCH310U

THIS DRAWING CONTAINS STRICTLY CONFIDENTIAL INFORMATION BELONGING TO HAMMOND POWER SOLUTIONS AND MUST NOT BE DISTRIBUTED OUTSIDE AUTHORIZED PARTIES.